



Appendix I
Classification of Permit Modifications

Modifications	Class
A. General Permit Provisions	
1. Administrative and informational changes.	1
2. Correction of typographical errors.	1
3. Equipment replacement or upgrading with functionally equivalent components (e.g., pipes, valves, pumps, conveyors, controls).	1
4. Changes in the frequency of or procedures for monitoring, reporting, sampling, or maintenance activities by the permittee:	
a. To provide for more frequent monitoring, reporting, sampling, or maintenance.	1
b. Other changes.	2
5. Schedule of compliance:	
a. Changes in interim compliance dates, with prior approval of the Department.	1 *
b. Extension of final compliance date.	3
6. Changes in expiration date of permit to allow earlier permit termination, with prior approval of the Department.	1 *
7. Changes in ownership or operational control of a facility, provided the procedures of section 66270.40 (b) are followed.	1 *
B. General Facility Standards	
1. Changes to waste sampling or analysis methods:	
a. To conform with Department guidance or regulations.	1
b. To incorporate changes associated with F039 (multi-source leachate) sampling or analysis methods	1*
c. To incorporate changes associated with underlying hazardous constituents in ignitable or corrosive wastes	1*
d. Other changes.	2
2. Changes to analytical quality assurance/control plan:	
a. To conform with Department guidance or regulations.	1
b. Other changes.	2
3. Changes in procedures for maintaining the operating record.	1
4. Changes in frequency or content of inspection schedules.	2
5. Changes in the training plan:	
a. That affect the type or decrease the amount of training given to employees.	2
b. Other changes.	1
6. Contingency plan:	
a. Changes in emergency procedures (i.e., spill or release response procedures).	2
b. Replacement with functionally equivalent equipment, upgrade, or relocate emergency equipment listed.	1
c. Removal of equipment from emergency equipment list.	2

d. Changes in name, address, or phone number of coordinators or other persons or agencies identified in the plan.	1
7. Construction quality assurance plan:	
a. Changes that the CQA officer certifies in the operating record will provide equivalent or better certainty that the unit components meet the design specifications.	1
b. Other changes	2
NOTE: When a permit modification (such as introduction of a new unit) requires a change in facility plans or other general facility standards, that change shall be reviewed under the same procedures as the permit modification.	
C. Water Quality and Environmental Protection	
1. Changes to monitoring points:	
a. Changes in the number, location, depth, or design of monitoring points or background monitoring points of a permitted water quality or environmental monitoring system.	2
b. Replacement of an existing monitoring point that has been damaged or rendered inoperable, without change to location, design, or depth of the monitoring point.	1
2. Changes in a water quality or environmental sampling or analytical procedure or monitoring schedule, with prior approval of the Department.	1*
3. Changes in statistical procedure for determining whether a statistically significant change in water quality or environmental quality between monitoring points and background monitoring points has occurred, with prior approval of the Department.	1
4. Changes in the point of compliance.	2
5. Changes in constituents of concern, monitoring parameters, or concentration limits:	
a. As specified in the water quality or environmental protection standard.	3
b. As specified for a detection monitoring program.	2
6. Detection monitoring program:	
a. Addition of a detection monitoring program as required by sections 66264.99 (f)(3) and 66264.100(i)(3).	3
b. Changes to a detection monitoring program as required by section 66264.98 (l) or (m) or section 66264.706 (f), unless otherwise specified in this Appendix.	2
7. Evaluation or Compliance monitoring program:	
a. Addition of an evaluation monitoring program as required by sections 66264.91 (a)(2) or (a)(3).	3
b. Changes to an evaluation monitoring program as required by section 66264.99 (h) or (i), unless otherwise specified in this Appendix.	2
c. Addition of a compliance monitoring program as required by section 66264.701 (a)(1).	3
d. Changes to a compliance monitoring program as required by section 66264.707 (e), unless otherwise specified in this Appendix.	2
8. Corrective action program:	
a. Addition of a corrective action program as required by section 66264.91 (a)(4) or 66264.701(a)(2).	3
b. Changes to a corrective action program as required by section 66264.100 (k) or (1) or section 66264.708 (h), unless otherwise specified in this Appendix.	2
D. Closure	
1. Changes to the closure plan:	
a. Changes in estimate of maximum extent of operations or maximum inventory of waste on-site at any time during the active life of the facility, with prior approval of the Department.	1 *

b. Changes in the closure schedule for any unit, changes in the final closure schedule for the facility, or extension of the closure period, with prior approval of the Department.	1 *
c. Changes in the expected year of final closure, where other permit conditions are not changed, with prior approval of the Department.	1 *
d. Changes in procedures for decontamination of facility equipment or structures, with prior approval of the Department.	1*
e. Changes in approved closure plan resulting from unexpected events occurring during partial or final closure, unless otherwise specified in this Appendix.	2
f. Extension of the closure period to allow a landfill, surface impoundment, or land treatment unit to receive non-hazardous wastes after final receipt of hazardous wastes under sections 66264.113(d) & (e) of chapter 14.	2
2. Creation of a new landfill unit as part of closure.	3
3. Addition of the following new units to be used temporarily for closure activities:	
a. Surface impoundments.	3
b. Incinerators.	3
c. Waste piles that comply with the following requirements: --the waste pile is inside or under a structure that provides protection from precipitation so that neither run-off nor leachate is generated, --liquids or materials containing free liquids are not placed in the waste pile, --the waste pile is protected from surface water run-on by the structure or in some other manner, --the waste pile is designed and operated to control dispersal of the waste by wind, where necessary, by means other than wetting, and --the waste pile shall not generate leachate through decomposition or other reactions.	2
d. Waste piles that do not comply with the requirements of D(3)(c) of this Appendix.	3
e. Tanks or containers (other than specified below).	2
f. Tanks used for neutralization, dewatering, phase separation, or component separation, with prior approval of the Department.	1*
E. Post-Closure	
1. Changes in name, address, or phone number of contact in post-closure plan.	1
2. Extension of post-closure care period.	2
3. Reduction in the post-closure care period.	3
4. Changes to the expected year of final closure, where other permit conditions are not changed.	1
5. Changes in post-closure plan necessitated by events occurring during the active life of the facility, including partial and final closure.	2
F. Containers	
1. Modification or addition of container units:	
a. Resulting in greater than 25% increase in the facility's container storage capacity, except as provided in F(1)(c) and F(4)(a) below.	3
b. Resulting in up to 25% increase in the facility's container storage capacity, except as provided in F(1)(c) and F(4)(a) below.	2
c. Or treatment processes necessary to treat wastes that are restricted from land disposal to meet some or all of the applicable treatment standards or to treat wastes to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in section 66268.8 (a)(2)(B), with prior approval of the Department. This modification may	

also involve addition of new waste codes or narrative descriptions of wastes. It is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028).

- | | |
|--|----|
| | 1* |
| 2. a. Modification of a container unit without increasing the capacity of the unit. | 2 |
| b. Addition of a roof to a container unit without alteration of the containment system. | 1 |
| 3. Storage of different wastes in containers, except as provided in F(4) below: | |
| a. That require additional or different management practices from those authorized in the permit. | 3 |
| b. That do not require additional or different management practices from those authorized in the permit. | 2 |
| NOTE: See section 66270.42(g) for modification procedures to be used for the management of newly listed or identified wastes. | |
| 4. Storage or treatment of different wastes in containers: | |
| a. That require addition of units or change in treatment process or management standards, provided that the wastes are restricted from land disposal and are to be treated to meet some or all of the applicable treatment standards, or that are to be treated to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in section 66268.8 (a)(2)(B). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). | 1 |
| b. That do not require the addition of units or a change in the treatment process or management standards, and provided that the units have previously received wastes of the same type (e.g., incinerator scrubber water). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). | 1 |
| 5. Modifications to conform to the Department's changes in empty container management practices. | 2 |
| 6. Other changes in container management practices (e.g., aisle space; types of containers; segregation). | 2 |
| G. Tanks. | 1 |
| 1. | |
| a. Modification or addition of tank units resulting in greater than 25% increase in the facility's tank capacity, except as provided in G(1)(c), G(1)(d) and G(1)(e) below. | 3 |
| b. Modification or addition of tank units resulting in up to 25% increase in the facility's tank capacity, except as provided in G(1)(d) and G(1)(e) below. | 2 |
| C. Addition of a new tank that will operate for more than 90 days using any of the following physical or chemical treatment technologies: neutralization, dewatering, phase separation, or component separation. | 2 |
| d. After prior approval of the Department, addition of a new tank that will operate for up to 90 days using any of the following physical or chemical treatment technologies: neutralization, dewatering, phase separation, or component separation. | 1* |
| e. Modification or addition of tank units or treatment processes necessary to treat wastes that are restricted from land disposal to meet some or all of the applicable treatment standards or to treat wastes to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in section 66268.8 (a)(2)(B), with prior approval of the Department. This modification may also involve addition of new waste codes. It is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). | 1* |
| 2. Modification of a tank unit or secondary containment system without increasing the capacity of the unit. | 2 |
| 3. Replacement of a tank with a tank that meets the same design standards and has a capacity within +/- 10% of the replaced tank provided: | 1 |
| --The capacity difference is no more than 1500 gallons, | |

--The facility's permitted tank capacity is not increased and

--The replacement tank meets the same conditions in the permit.

4. Modification of a tank management practice. 2

5. Management of different wastes in tanks:

a. That require additional or different management practices, tank design, different fire protection specifications, or significantly different tank treatment process from that authorized in the permit, except as provided in G(5)(c) below. 3

b. That do not require additional or different management practices, tank design, different fire protection specifications, or significantly different tank treatment process than those authorized in the permit, except as provided in G(5)(d) below. 2

c. That require addition of units or change in treatment processes or management standards, provided that the wastes are restricted from land disposal and are to be treated to meet some or all of the applicable treatment standards or that are to be treated to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in section 66268.8 (a)(2)(B). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). 1*

d. That do not require the addition of units or a change in the treatment process or management standards, and provided that the units have previously received wastes of the same type (e.g., incinerator scrubber water). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). 1

NOTE: See section 66270.42(g) for modification procedures to be used for the management of newly listed or identified wastes.

H. Surface Impoundments

1. Modification or addition of surface impoundment units that result in increasing the facility's surface impoundment storage or treatment capacity. 3

2. Replacement of a surface impoundment unit. 3

3. Modification of a surface impoundment unit without increasing the facility's surface impoundment storage or treatment capacity and without modifying the unit's liner, leak detection system, or leachate collection system. 2

4. Modification of a surface impoundment management practice. 2

5. Treatment, storage, or disposal of different wastes in surface impoundments:

a. That require additional or different management practices or different design of the liner or leak detection system than authorized in the permit. 3

b. That do not require additional or different management practices or different design of the liner or leak detection system than authorized in the permit. 2

c. That are wastes restricted from land disposal that meet the applicable treatment standards or that are treated to satisfy the standard of "use of practically available technology that yields the greatest environmental benefit" contained in section 66268 (a)(2)(B), and provided that the unit meets the minimum technological requirements stated in section 66268.5 (h)(2). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). 1

d. That are residues from wastewater treatment or incineration, provided that disposal occurs in a unit that meets the minimum technological requirements stated in section 66268.5 (h)(2), and provided further that the surface impoundment has previously received wastes of the same type (for example, incinerator scrubber water). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). 1

6. Modifications of unconstructed units to comply with sections 66264.221 (c), 66264.222, 66264.223, and 66264.226(d) 1

7. Changes in response action plan:

a. Increase in action leakage rate 3

- b. Change in a specific response reducing its frequency or effectiveness. 3
- c. Other changes 2

NOTE: See section 66270.42(g) for modification procedures to be used for the management of a newly listed or identified wastes.

I. Enclosed Waste Piles

For all waste piles except those complying with the requirements of D(3)(c) of this Appendix, modifications are treated the same as for a landfill. The following modifications are applicable only to waste piles complying with D(3)(c) of this Appendix.

- 1. Modification or addition of waste pile units:
 - a. Resulting in greater than 25% increase in the facility's waste pile storage or treatment capacity. 3
 - b. Resulting in up to 25% increase in the facility's waste pile storage or treatment capacity. 2
- 2. Modification of waste pile unit without increasing the capacity of the unit. 2
- 3. Replacement of a waste pile unit with another waste pile unit of the same design and capacity and meeting all waste pile conditions in the permit. 1
- 4. Modification of a waste pile management practice. 2
- 5. Storage or treatment of different wastes in waste piles:
 - a. That require additional or different management practices or different design of the unit. 3
 - b. That do not require additional or different management practices or different design of the unit. 2
- 6. Conversion of an enclosed waste pile to a containment building unit. 2

NOTE: See section 66270.42(g) for modification procedures to be used for the management of newly listed or identified wastes.

J. Landfills and Unenclosed Waste Piles

- 1. Modification or addition of landfill units that result in increasing the facility's disposal capacity. 3
- 2. Replacement of a landfill. 3
- 3. Addition or modification of a liner, leachate collection system, leachate detection system, run-off control, or final cover system. 3
- 4. Modification of a landfill unit without changing a liner, leachate collection system, leachate detection system, run-off control, or final cover system. 2
- 5. Modification of a landfill management practice. 2
- 6. Landfill different wastes:
 - a. That require additional or different management practices, different design of the liner, leachate collection system, or leachate detection system. 3
 - b. That do not require additional or different management practices, different design of the liner, leachate collection system, or leachate detection system. 2
 - c. That are wastes restricted from land disposal that meet the applicable treatment standards or that are treated to satisfy the standard of "use of practically available technology that yields the greatest environmental benefit" contained in section 66268.8 (a)(2)(B), and provided that the landfill unit meets the minimum technological requirements stated in section 66268.5 (h)(2). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). 1
 - d. That are residues from wastewater treatment or incineration, provided that disposal occurs in a landfill unit that meets the minimum technological requirements stated in section 66268.5 (h)(2), and provided further that the landfill has previously received wastes of the same type (for example, incinerator ash). This modification is not applicable to dioxin-containing wastes (F020, 021, 022, 023, 026, 027, and 028). 1

7. Modifications of unconstructed units to comply with sections 66264.251 (c), 66264.252, 66264.253, 66264.254(c), 66264.301(c), 66264.302, 66264.303(c), and 66264.304.	1
8. Changes in response action plan:	
a. Increase in action leakage rate	3
b. Change in a specific response reducing its frequency or effectiveness	3
c. Other changes	2
NOTE: See section 66270.42(g) for modification procedures to be used for the management of newly listed or identified wastes.	
K. Land Treatment	
1. Lateral expansion of or other modification of a land treatment unit to increase areal extent.	3
2. Modification of run-on control system.	2
3. Modify run-off control system.	3
4. Other modifications of land treatment unit component specifications or standards required in permit.	2
5. Management of different wastes in land treatment units:	
a. That require a change in permit operating conditions or unit design specifications.	3
b. That do not require a change in permit operating conditions or unit design specifications.	2
NOTE: See section 66270.42(g) for modification procedures to be used for the management of newly listed or identified wastes.	
6. Modification of a land treatment unit management practice to:	
a. Increase rate or change method of waste application.	3
b. Decrease rate of waste application.	1
7. Modification of a land treatment unit management practice to change measures of pH or moisture content, or to enhance microbial or chemical reactions.	2
8. [Reserved]	
9. Modification of operating practice due to detection of releases from the land treatment unit pursuant to section 66264.278 (j)(1).	3
10. Changes in the unsaturated zone monitoring system, resulting in a change to the location, depth, number of sampling points, or replace unsaturated zone monitoring devices or components of devices with devices or components that have specifications different from permit requirements.	3
11. Changes in the unsaturated zone monitoring system that do not result in a change to the location, depth, number of sampling points, or that replace unsaturated zone monitoring devices or components of devices with devices or components having specifications different from permit requirements.	2
12. Changes in background values for hazardous constituents in soil and soil-pore liquid.	2
13. Changes in sampling, analysis, or statistical procedure.	2
14. Changes in land treatment demonstration program prior to or during the demonstration.	2
15. Changes in any condition specified in the permit for a land treatment unit to reflect results of the land treatment demonstration, provided performance standards are met, and the Department's prior approval has been received.	1*
16. Changes to allow a second land treatment demonstration to be conducted when the results of the first demonstration have not shown the conditions under which the wastes can be treated completely, provided the conditions for the second demonstration are substantially the same as the conditions for the first demonstration and have received the prior approval of the Department.	1*
17. Changes to allow a second land treatment demonstration to be conducted when the results of the first demonstration have not shown the conditions under which the wastes can be treated completely,	

where the conditions for the second demonstration are not substantially the same as the conditions for the first demonstration.	3
18. Changes in vegetative cover requirements for closure.	2
L. Incinerators, Boilers, and Industrial Furnaces:	
1. Changes to increase by more than 25% any of the following limits authorized in the permit: A thermal feed rate limit, a feedstream feed rate limit, a chlorine/chloride feed rate limit, a metal feed rate limit, or an ash feed rate limit. The Department will require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.	3
2. Changes to increase by up to 25% any of the following limits authorized in the permit: A thermal feed rate limit, a feedstream feed rate limit, a chlorine/chloride feed rate limit, a metal feed rate limit, or an ash feed rate limit. The Department will require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.	2
3. Modification of an incinerator, boiler, or industrial furnace unit by changing the internal size or geometry of the primary or secondary combustion units, by adding a primary or secondary combustion unit, by substantially changing the design of any component used to remove HCl/Cl ₂ , metals, or particulate from the combustion gases, or by changing other features of the incinerator, boiler, or industrial furnace that could affect its capability to meet the regulatory performance standards. The Department will require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.	3
4. Modification of an incinerator, boiler, or industrial furnace unit in a manner that would not likely affect the capability of the unit to meet the regulatory performance standards but which would change the operating conditions or monitoring requirements specified in the permit. The Department may require a new trial burn to demonstrate compliance with the regulatory performance standards.	2
5. Operating requirements:	
a. Modification of the limits specified in the permit for minimum or maximum combustion gas temperature, minimum combustion gas residence time, oxygen concentration in the secondary combustion chamber, flue gas carbon monoxide and hydrocarbon concentration, maximum temperature at the inlet to the particulate matter emission control system, or operating parameters for the air pollution control system. The Department will require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.	3
b. Modification of any stack gas emission limits specified in the permit, or modification of any conditions in the permit concerning emergency shutdown or automatic waste feed cutoff procedures or controls.	3
c. Modification of any other operating condition or any inspection or recordkeeping requirement specified in the permit.	2
6. Burning different wastes:	
a. If the waste contains a POHC that is more difficult to burn than authorized by the permit or if burning of the waste requires compliance with different regulatory performance standards than specified in the permit. The Department will require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.	3
b. If the waste does not contain a POHC that is more difficult to burn than authorized by the permit and if burning of the waste does not require compliance with different regulatory performance standards than specified in the permit.	2
NOTE: See section 66270.42(g) for modification procedures to be used for the management of newly listed or identified wastes.	
7. Shakedown and trial burn:	
a. Modification of the trial burn plan or any of the permit conditions applicable during the shakedown periods for determining operational readiness after construction, the trial burn period, or the period immediately following the trial burn.	2
b. Authorization of up to an additional 720 hours of waste burning during the shakedown period for determining operational readiness after construction, with the prior approval of the Department.	1*

c. Changes in the operating requirements set in the permit for conducting a trial burn, provided the change is minor and has received the prior approval of the Department.	1*
d. Changes in the ranges of the operating requirements set in the permit to reflect the results of the trial burn, provided the change is minor and has received the prior approval of the Department.	1*
8. Substitution of an alternate type of nonhazardous waste fuel that is not specified in the permit.	1
M. Containment Buildings.	
1. Modification or addition of containment building units:	
a. Resulting in greater than 25% increase in the facility's containment building storage or treatment capacity	3
b. Resulting in up to 25% increase in the facility's containment building storage or treatment capacity	2
2. Modification of a containment building unit or secondary containment system without increasing the capacity of the unit	2
3. Replacement of a containment building with a containment building that meets the same design standards provided:	
a. The unit capacity is not increased	1
b. The replacement containment building meets the same conditions in the permit	1
4. Modification of a containment building management practice	2
5. Storage or treatment of different wastes in containment buildings:	
a. That require additional or different management practices	3
b. That do not require additional or different management practices	2
N. Corrective Action	
1. Approval of a corrective action management unit pursuant to article 15.5 of chapter 14.	3
2. Approval of a temporary unit or time extension for a temporary unit pursuant to article 15.5 of chapter 14.	2

*Class 1 modifications requiring prior Department approval.

NOTE: Authority cited: Sections 25150, 25159, 25159.5, 25179.6, 58004, and 58012, Health and Safety Code. Reference: Sections 25159 and 25159.5, Health and Safety Code; 40 CFR Section 270.42, 40 CFR Part 270, Appendix I.

HISTORY

1. New Appendix I filed 5-24-91; operative 7-1-91 (Register 91, No. 22).
2. New subpart F.5. and renumbering filed 8-25-92; operative 8-25-92 pursuant to Government Code section 11346.2(d) (Register 92, No. 35).
3. Editorial correction of HISTORY 1 (Register 93, No. 52).
4. New subparts M. (reserved) and N-N.2 and amendment of Note filed 12-23-93 as an emergency; operative 12-23-93 (Register 93, No. 52). A Certificate of Compliance must be transmitted to OAL by 5-9-94 or emergency language will be repealed by operation of law on the following day.
5. New subparts M and N-N.2 and amendment of Note refiled 4-25-94 as an emergency; operative 4-25-94 (Register 94, No. 17). A Certificate of Compliance must be transmitted to OAL by 8-23-94 or emergency language will be repealed by operation of law on the following day.
6. New subparts M and N-N.2 refiled 8-22-94 as an emergency; operative 8-22-94 (Register 94, No. 34). A Certificate of Compliance must be transmitted to OAL by 12-20-04 or emergency language will be repealed by operation of law on the following day.
7. New subsections B 1b-c and subsection redesignation, new subsections I6 and M-M5b and amendment of Note filed 10-24-94 as an emergency; operative 10-24-94 (Register 94, No. 43). A Certificate of Compliance must be transmitted to OAL by 2-20-95 or emergency language will be repealed by operation of law on the following day.
8. New subparts M and N-N.2 refiled 12-22-94 as an emergency; operative 12-22-94 (Register 94, No. 51). A Certificate of Compliance must be transmitted to OAL 4-21-95 or emergency language will be repealed by operation of law on the following day.
9. New subsections B.1.b.-c. and subsection redesignation, new subsections I.6. and M.-M.5.b. and amendment of

Note refiled 2-21-95 as an emergency; operative 2-21-95 (Register 95, No. 8). A Certificate of Compliance must be transmitted to OAL by 6-21-95 or emergency language will be repealed by operation of law on the following day.

10. New subsections B.1.b.-c. and subsection redesignation, new subsections I.6 and M.-M.5.b. and amendment of Note refiled 6-19-95 as an emergency; operative 6-19-95 (Register 95, No. 25). A Certificate of Compliance must be transmitted to OAL by 10-17-95 or emergency language will be repealed by operation of law on the following day.

11. New subsections N.-N.2. refiled 6-29-95 as an emergency; operative 6-29-95 (Register 95, No. 26). A Certificate of Compliance must be transmitted to OAL by 10-27-95 or emergency language will be repealed by operation of law on the following day.

12. New subsections B.7.a.-b., H.6.-7.c. and J.7.-8.c. and amendment of Note filed 7-19-95; operative 8-18-95 (Register 95, No. 29).

13. New subsections B.1.b.-c. and subsection redesignation, new subsections I.6 and M.-M.5.b and amendment of NOTE refiled 10-16-95 as an emergency; operative 10-16-95 (Register 95, No. 42). A Certificate of Compliance must be transmitted to OAL by 2-13-96 or emergency language will be repealed by operation of law on the following day.

14. New subsections N.-N.2. and amendment of NOTE refiled 10-26-95 as an emergency; operative 10-26-95 (Register 95, No. 43). A Certificate of Compliance must be transmitted to OAL by 2-23-96 or emergency language will be repealed by operation of law on the following day.

15. Certificate of Compliance as to 10-26-95 order transmitted to OAL 11-30-95 and filed 1-16-96 (Register 96, No. 3).

16. Certificate of Compliance as to 10-24-94 order including amendment of subsection M. heading and NOTE transmitted to OAL 12-15-95 and filed 1-31-96 (Register 96, No. 5).

17. New subparagraph D.1.f. and amendment of NOTE filed 6-20-96; operative 7-20-96 (Register 96, No. 25).

18. Amendment of subparagraphs L.-L.8 and NOTE filed 7-1-96; operative 7-31-96 (Register 96, No. 27).

19. Change without regulatory effect amending Appendix I, subsections H.6. and J.7. and NOTE filed 6-30-97 pursuant to section 100, title 1, California Code of Regulations (Register 97, No. 27).

20. Change without regulatory effect amending Appendix I filed 8-15-97 pursuant to section 100, title 1, California Code of Regulations (Register 97, No. 33).